

# PJS-CS



## GENERAL FEATURES

- **Strong heavy duty metal frame**
- **Impact resistant plastic injection covers**
- **Convenient storage for gun and lance**
- **Large capacity diesel tank (13 ltrs) with diesel level sensor & filling filter**
- **Built in detergent tank (13 ltrs)**
- **High pressure detergent system with regulation**
- **Water suction from tank with floater**
- **If needed, both tanks can be used for field, thus doubling the operating time**
- **Easy to check water filter**
- **Water softner device with pump and tank**

## TECHNICAL FEATURES

- **Professional 2 poles electric motor (2800 rpm)**
- **Integrated professional unloader valve**
- **Delayed TOTAL STOP**

## **BOILER FEATURES**

- **Double coil vertical boiler**
- **High thermal efficiency**
- **Burner controlled by pressure switch**
- **Safety valve**
- **Boiler thermal protector**

## **CONTROL PANEL**

- **Low voltage controls only Three phase motors**
- **Remote Control Switch**
- **Motor Protected with Thermal Relay**
- **On-off Rotating Switch**
- **Temperature adjustment knob**
- **"Machine switched on" lamp**

## **ACCESSORIES**

- **Hose Reel**
- **Foam Lance**
- **Drain Nozzle**
- **Sandblasting Lance**
- **Complete Gun and Lance with Swivel**
- **Adjustable Lance**
- **Twin Lance**
- **Lance with Rotating Nozzle**

**TECHNICAL DATA**

Model	Max flow rate (LPH)	Max Pressure (BAR)	Voltage	Absorbed power (HP)	RPM	Weight (KG)	Dimensions (LXBXH) cm
<b>PJS-CS-10-120</b>	600	120	230 V (1-50 HZ)	4	2800	118	90 X 71 X 86
<b>PJS-CS-10-150</b>	600	150	400 V (3-50 HZ)	5		118	
<b>PJS-CS-13-180</b>	780	180		7.5		118	
<b>PJS-CS-15-160</b>	900	160		7.5		118	
<b>PJS-CS-14-200</b>	840	200		10		120	



**PressureJet Systems Pvt. Ltd.**

62/13, Phase-1, G.I.D.C., Vatva, Ahmedabad-382 445. Gujarat, India.  
 Phone: +91-079-25835598/25830762/25893868, Fax: +91-079-25897220.  
 Email: [sales@pressurejet.com](mailto:sales@pressurejet.com) URL: [www.pressurejet.com](http://www.pressurejet.com)