

PJS-E CLASSIC



GENERAL FEATURES

- Strong heavy duty metal frame
- Impact resistant plastic covers
- Convenient storage for gun and lance
- Large capacity diesel tank (13 ltrs) with diesel level sensor & filling filter
- Built in detergent tank (13 ltrs)
- High pressure detergent system with regulation (only versions with water tank)
- Low pressure detergent system with regulation (only versions without water tank)
- If needed, both tanks can be used for fuel, thus doubling the operating time
- Easy to check water filter
- Large rubber wheels (Ø 260 mm)

TECHNICAL FEATURES

- Professional 4 poles electric motor (1400 rpm)
- Integrated professional unloader valve
- self priming pumps
- Delayed **TOTAL STOP**
- Separate burner fan motor

CONTROL PANEL

- Low voltage controls
- Remote Control Switch
- Motor Protected with Thermal Relay
- On-off Rotating Switch
- Temperature adjustment knob
- "Machine switched on" lamp
- "Low fuel level" lamp

BOILER FEATURES

- Double coil vertical boiler
- High thermal efficiency
- Burner controlled by pressure switch
- Delayed burner start
- Safety valve
- Boiler thermal protector

ACCESSORIES

- Hose Reel
- Foam Lance
- Drain Nozzle
- Sandblasting Lance
- Complete Gun and Lance with Swivel
- Adjustable Lance
- Twin Lance
- Lance with Rotating Nozzle
- Ionic Anti-scale device

TECHNICAL DATA

Model	Max flow rate (LPH)	Max Pressure (BAR)	Voltage	Absorbed power (HP)	RPM	Weight (KG)	Dimensions (LXBXH) cm
PJS-E-CLASSIC-11.110	660	110	230 V (1-50 HZ)	4	1400	120	103 X 71 X 86
PJS-E-CLASSIC-12.140	720	140	400 V (3-50 HZ)	5		125	
PJS-E-CLASSIC-14.180	840	180		7.5		125	
PJS-E-CLASSIC-15.150	900	150		7.5		125	
PJS-E-CLASSIC-15.190	900	190		10		125	



PressureJet Systems Pvt. Ltd.

62/13, Phase-1, G.I.D.C., Vatva, Ahmedabad-382 445. Gujarat, India.
 Phone: +91-079-25835598/25830762/25893868, Fax: +91-079-25897220.
 Email: sales@pressurejet.com URL: www.pressurejet.com